Remarks

Claims 1-15 are pending. Claims 3-15 have been withdrawn pursuant to a restriction requirement. Claim 1 has been amended to page 9, line 19 to page 10, line 21 of the Specification.

The Examiner rejects claims 1 and 2 under 35 U.S.C. 112(2) as being indefinite. The Examiner objects to the terms "5- or 6-membered heterocyclic ring", "heteroaryloxy" and "heteroaryl". The Examiner states that the ring structures and placement is indefinite. In response, Applicants have inserted specific structure names. The Examiner also objects to the reference to "substituted" without naming any substituents. The term "substituted" has been deleted. The Examiner objects to the use of "can be". The phrase has been eliminated throughout claims 1 and 2. Applicants submit that the above amendments address each of the Examiner's objections to claims 1 and 2.

The Examiner rejects claims 1 and 2 under 35 U.S.C. 102 as being anticipated by, or in the alternative, being unpatentable in view of published PCT application WO 00/24736 ("WO '736"). Applicants respectfully traverse this rejection. WO '736 was published in May 2000, whereas the instant application has a priority date of March 1999. Applicants enclose a certified translation of the priority document to overcome this rejection. Applicants submit that the instant application is now in condition for allowance.

Respectfully submitted,

Ciba Specialty **Chemicals Corporation** 540 White Plains Road P.O. Box 2005 Tarrytown, New York 10591-9005 Tel: (914) 785-7124

Fax: (914) 785-7102

SEP 21 2001

DR. Cichton Attorney for Applicants Reg. No. 37,300

Amended Claims with underlining and bracketing

1. (am nded) A compound of the formula A compound of the formula (Ia), (Ib) or (Ic)

$$Q_1 = X_1$$
 $Q_1 = X_2 = Q_1$ $Q_1 = X_2 = Q_2$
(Ia) (Ib) (Ic)

in which

 Q_1 is a benzofuran-2-one of the formula (IIa), and

Q2 is a benzofuran-2-one of the formula (IIb)

$$R_3$$
 R_4
 R_3
 R_2
 R_1
 R_2
 R_3
 R_4
 R_2
 R_1
 R_2
 R_3
 R_4
 R_2
 R_3
 R_4
 R_3
 R_4
 R_4
 R_4
 R_5
 R_7
 R_8
 R_9
 R_1
 R_1
 R_2
 R_1
 R_2
 R_3
 R_4
 R_3
 R_4
 R_5
 R_1
 R_2
 R_3
 R_4
 R_5
 R_1
 R_2
 R_3
 R_4
 R_5
 R_5
 R_5
 R_7
 R_8
 R_9
 R_9

 R_1 , R_2 , R_3 , R_4 , R_{100} , R_{200} , R_{300} or R_{400} independently of one another are hydrogen, halogen, hydroxyl, cyano, ether, nitro, an amine, amide, imine, urethane, sulfonamide, ester, carboxylic acid or sulfonic acid radical or carboxylic salt, sulfonic salt or [substituted or unsubstituted]- C_1 - C_{24} alkyl, C_1 - C_{24} alkoxy, C_1 - C_{24} alkylthio, C_5 - C_{12} cycloalkyl, C_5 - C_{12} cycloalkoxy, C_5 - C_{12} cycloalkylthio, C_2 - C_{24} alkenyl, $C_6-C_{24} \text{aryl, } C_7-C_{25} \text{aralkyl, } C_6-C_{24} \text{aryloxy, } C_6-C_{24} \text{arylthio, } \textcolor{red}{\text{\{A_6-A_{18}$heteroaryl, A_5-A_{18}heteroaryloxy or a property of the property of th$ A_{6} - A_{18} hoteroarylthio, $\frac{1}{2}$ thienyl, benzo[b]thienyl, dibenzo[b,d]thienyl, thianthrenyl, furyl, furfuryl, $\frac{2H}{2}$ pyranyl, benzofuranyl, isobenzofuranyl, benzimidazolyl, benzothiazolyl, dibenzofuranyl, phenoxythiinyl, pyrrolyl, imidazolyl, pyrazolyl, pyridyl, bipyridyl, triazinyl, pyrimidinyl, pyrazinyl, pyridazinyl, indolizinyl, isoindolyl, indolyl, indazolyl, purinyl, quinolizinyl, quinolyl, isoquinolyl, phthalazinyl, naphthyridinyl, quinoxalinyl, quinazolinyl, cinnolinyl, pteridinyl, carbazolyl, carbolinyl, benzotriazolyl, benzoxazolyl, phenanthridinyl, acridinyl, perimidinyl, phenanthrolinyl, phenazinyl, isothiazolyl, phenothiazinyl, isoxazolyl, furazanyl or phenoxazinyl, O-thienyl, O-benzo[b]thienyl, O-dibenzo[b,d]thienyl, Othianthrenyl, O-furyl, O-furfuryl, O-2H-pyranyl, O-benzofuranyl, O-isobenzofuranyl, O-benzimidazolyl, O-benzothiazolyl, O-dibenzofuranyl, O-phenoxythiinyl, O-pyrrolyl, O-imidazolyl, O-pyrazolyl, O-pyridyl, O-bipyridyl, O-triazinyl, O-pyrimidinyl, O-pyrazinyl, O-pyridazinyl, O-indolizinyl, O-isoindolyl, O-indolyl, O-indazolyl, O-purinyl, O-quinolizinyl, O-quinolyl, O-isoquinolyl, O-phthalazinyl, O-naphthyridinyl, Oquinoxalinyl, O-quinazolinyl, O-cinnolinyl, O-pteridinyl, O-carbazolyl, O-carbolinyl, O-benzotriazolyl, O-

PL/2-21988/A -9-09/518,464

benzoxazolyl, O-phenanthridinyl, O-acridinyl, O-perimidinyl, O-phenanthrolinyl, O-phenazinyl, O-isothiazolyl, O-phenothiazinyl, O-isoxazolyl, O-furazanyl or O-phenoxazinyl, S-thienyl, S-benzo[b]thienyl, S-dibenzo[b,d]thienyl, S-thianthrenyl, S-furyl, S-furfuryl, S-2H-pyranyl, S-benzofuranyl, S-isobenzofuranyl, S-benzofuranyl, S-benzofuranyl, S-benzofuranyl, S-benzofuranyl, S-benzofuranyl, S-benzofuranyl, S-pyrrolyl, S-imidazolyl, S-pyridyl, S-bipyridyl, S-triazinyl, S-pyrimidinyl, S-pyrazinyl, S-pyridazinyl, S-indolizinyl, S-isoindolyl, S-indolyl, S-indazolyl, S-purinyl, S-quinolizinyl, S-quinolyl, S-guinolyl, S-pyrimidinyl, S-quinolyl, S-pyrimidinyl, S-pyrimidinyl, S-pyrimidinyl, S-carbazolyl, S-carbolinyl, S-benzofiazolyl, S-benzofiazolyl, S-phenanthridinyl, S-acridinyl, S-perimidinyl, S-phenazinyl, S-phenazinyl, S-isothiazolyl, S-phenothiazinyl, S-isoxazolyl, S-furazanyl or S-phenoxazinyl,

or

R₁ and R₂, R₂ and R₃, R₃ and R₄ or R₁₀₀ and R₂₀₀, or R₂₀₀ and R₃₀₀, R₃₀₀ and R₄₀₀, independently of one another in each case together are divalent [, substituted or unsubstituted] radicals, such as polycyclic radicals or 1,3-butadien-1,4-ylene or -CH=CH-NH-, the two last radicals forming an additional fused-on 5- or 6-membered ring, and

 X_1 is a hydrazone or imine radical, with the proviso that, if R_1 , R_2 , R_3 and R_4 are hydrogen, or at least one R_1 , R_2 , R_3 or R_4 is methyl, the hydrazone radical is excluded, or, if R_1 , R_2 , R_3 or R_4 is hydrogen, X_1 is not phenylimine- or 4-dimethylamine-phenylimine, or X_1 is a methylene radical,

$$=c_{Q_4}$$

in which

 Q_3 is a [substituted or unsubstituted] primary or secondary amine radical and Q_4 is hydrogen or [a substituted or unsubstituted] C_1 - C_{24} alkyl,

-CO-(C_1 - C_{24} alkyl), -CO-O-(C_1 - C_{24} alkyl), C_1 - C_{24} alkoxy, C_1 - C_{24} alkylthio,

 C_5 - C_{12} cycloalkyl, C_5 - C_{12} cycloalkoxy, C_5 - C_{12} cycloalkylthio, C_2 - C_{24} alkenyl,

 C_6 - C_{24} aryl, -CO- $(C_6$ - C_{24} aryl), -CO- $(C_6$ - C_{24} aryl), C_6 - C_{24} aryloxy, a primary or secondary amine radical, C_6 - C_{12} arylthio, C_7 - C_{25} aralkyl, [A_6 - A_{18} heteroaryl, A_5 - A_{18} heteroarylthio,] thienyl, benzo[b]thienyl, dibenzo[b,d]thienyl, thianthrenyl, furyl, furfuryl, 2H-

pyranyl, benzofuranyl, isobenzofuranyl, benzimidazolyl, benzothiazolyl, dibenzofuranyl, phenoxythiinyl, pyrrolyl, imidazolyl, pyridyl, bipyridyl, triazinyl, pyrimidinyl, pyrazinyl, pyridazinyl, indolizinyl, isoindolyl, indolyl, indazolyl, purinyl, quinolizinyl, quinolyl, isoquinolyl, phthalazinyl, naphthyridinyl, quinoxalinyl, quinazolinyl, cinnolinyl, pteridinyl, carbazolyl, carbolinyl, benzotriazolyl, benzoxazolyl,

phenanthridinyl, acridinyl, perimidinyl, phenanthrolinyl, phenazinyl, isothiazolyl, phenothiazinyl, isoxazolyl, furazanyl or phenoxazinyl O-thienyl, O-benzo[b]thienyl, O-dibenzo[b,d]thienyl, Othianthrenyl, O-furyl, O-furfuryl, O-2H-pyranyl, O-benzofuranyl, O-isobenzofuranyl, O-benzimidazolyl, O-benzothiazolyl, O-dibenzofuranyl, O-phenoxythiinyl, O-pyrrolyl, O-imidazolyl, O-pyrazolyl, O-pyridyl, O-bipyridyl, O-triazinyl, O-pyrimidinyl, O-pyrazinyl, O-pyridazinyl, O-indolizinyl, O-isoindolyl, O-indolyl, O-indazolyl, O-purinyl, O-quinolizinyl, O-quinolyl, O-isoquinolyl, O-phthalazinyl, O-naphthyridinyl, Oguinoxalinyl, O-quinazolinyl, O-cinnolinyl, O-pteridinyl, O-carbazolyl, O-carbolinyl, O-benzotriazolyl, Obenzoxazolyl, O-phenanthridinyl, O-acridinyl, O-perimidinyl, O-phenanthrolinyl, O-phenazinyl, O-isothiazolyl, O-phenothiazinyl, O-isoxazolyl, O-furazanyl or O-phenoxazinyl S-thienyl, S-benzo[b]thienyl, S-dibenzo[b,d]thienyl, S-thianthrenyl, S-furyl, S-furfuryl, S-2H-pyranyl, S-benzofuranyl, Sisobenzofuranyl, S-benzimidazolyl, S-benzothiazolyl, S-dibenzofuranyl, S-phenoxythiinyl, S-pyrrolyl, Simidazolyl, S-pyrazolyl, S-pyridyl, S-bipyridyl, S-triazinyl, S-pyrimidinyl, S-pyrazinyl, S-pyridazinyl, S-indolizinyl, S-isoindolyl, S-indolyl, S-indazolyl, S-purinyl, S-quinolizinyl, S-quinolyl, S-isoquinolyl, Sphthalazinyl, S-naphthyridinyl, S-quinoxalinyl, S-quinazolinyl, S-cinnolinyl, S-pteridinyl, S-carbazolyl, S-carbolinyl, S-benzotriazolyl, S-benzoxazolyl, S-phenanthridinyl, S-acridinyl, S-perimidinyl, Sphenanthrolinyl, S-phenazinyl, S-isothiazolyl, S-phenothiazinyl, S-isoxazolyl, S-furazanyl or Sphenoxazinyl,

or

 Q_3 and Q_4 together are a lactam, quinomethylene, hydantoin, acenaphthenequinone, azlactone, pyrazolonyl, barbituric acid, isoindolinone or isoindoline radical, with the proviso that

 Q_4 is not hydrogen and Q_3 is not a primary or secondary amine radical if R_3 is hydrogen, methoxy or hydroxyl and R_1 , R_2 and R_4 are hydrogen,

[or Q_4 is not hydrogen and Q_3 is not a secondary amine radical if R_4 , R_2 , R_3 and R_4 are hydrogen,]

and

X₂ is [a tetravalent 5- or 6-membered heterocyclic ring] thienyl, furyl, 2H-pyranyl, pyrrolyl, imidazolyl, pyrazolyl, pyridyl, triazinyl, pyrazinyl, pyridazinyl, morpholin, piperidyl, piperazinyl, or is

$$\begin{bmatrix}
Q_5 & Q_6 \\
C - X_3 - C
\end{bmatrix}$$

in which

09/518,464 - 11 - PL/2-21988/A

 X_3 is a single bond, {unsubstituted or substituted} C_6 - C_{24} arylene, { A_6 - A_{18} heteroarylene,} thienylene, benzo[b]thienylene, dibenzo[b,d]thienylene, thianthrenylene, furylene, furfurylene, 2H-pyranylene, benzofuranylene, isobenzofuranylene, dibenzofuranylene, phenoxythinylene, pyrrolylene, imidazolylene, pyrazolylene, pyridylene, bipyridylene, benzimidazolylene, benzothiazolylene, triazinylene, pyrimidinylene, pyrazinylene, pyridazinylene, indolizinylene, isoindolylene, indolylene, indazolylene, purinylene, quinolizinylene, quinolylene, isoquinolylene, phthalazinylene, naphthyridinylene, quinoxalinylene, quinazolinylene, cinnolinylene, pteridinylene, carbazolylene, carbolinylene, benzotriazolylene, benzoxazolylene, phenanthridinylene, acridinylene, perimidinylene, phenanthrolinylene, phenazinylene, isothiazolylene, phenothiazinylene, isoxazolylene, furazanylene or phenoxazinylene 1,2-phenylene, 1,3-phenylene, 1,4-phenylene or naphthylene, or a tetravalent polyether, polyimine, polyamine radical, or bi(C_6 - C_{24})arylene, $\frac{\text{[bi(A_6-A_{18})heteroarylene,]}}{\text{[bipyridylene,]}}$ bipyrrolylen, piperazinedionylen, quinodimethylene, imidazolonylen, isoindolinylen, and $\underline{anthraquinoylfuranoylen},\ C_2\text{-}C_{24}\\ alkenylene,\ in\ which\ bi(C_6\text{-}C_{24})\\ arylene,\ \{\underline{bi(A_5\text{-}A_{18})}\\ heteroarylene\}\\ \underline{bipy-}$ ridylene, bipyrrolylen, piperazinedionylen, quinodimethylene, imidazolonylen, isoindolinylen, and anthraquinoylfuranoylen or C2-C24alkenylene [can be] are optionally interrupted by one or more intermediate units [such as] selected from the group consisting of -CH=CH-, -CH=N-, -N=N-, -CR 44R 42", -CO-, -COO-, -OCO-, -NR₄₂CO-, -CONR₄₂-, -O-, -S-, -SO-, -SO₂- or -NR₄₂-,

R₄₂ and R₄₄ independently of one another are hydrogen, [substituted or unsubstituted] C₁-C₂₄alkyl, C₅-C₁₂Cycloalkyl, C₂-C₂₄ alkenyl, C₆-C₂₄aryl, C₇-C₂₅aralkyl or [A₆-A₁₈heteroaryl] thienyl, benzo[b]thienyl, dibenzo[b,d]thienyl, thianthrenyl, furyl, furfuryl, 2H-pyranyl, benzofuranyl, isobenzofuranyl, benzimidazolyl, benzothiazolyl, dibenzofuranyl, phenoxythiinyl, pyrrolyl, imidazolyl, pyrazolyl, pyridyl, bipyridyl, triazinyl, pyrimidinyl, pyrazinyl, pyridazinyl, indolizinyl, isoindolyl, indolyl, indazolyl, purinyl, quinolizinyl, quinolyl, isoquinolyl, phthalazinyl, naphthyridinyl, quinoxalinyl, quinazolinyl, cinnolinyl, pteridinyl, carbazolyl, carbolinyl, benzotriazolyl, benzoxazolyl, phenanthridinyl, acridinyl, perimidinyl, phenazinyl, isothiazolyl, phenothiazinyl, isoxazolyl, furazanyl or phenoxazinyl,

with the proviso that if R_1 , R_2 , R_3 , R_4 , R_{100} , R_{200} , R_{300} , R_{400} are all tert-butyl or all hydrogen, Q_5 and Q_6 are hydrogen, X_3 is not 1,4-phenylene, and

 Q_5 and Q_6 independently of one another are hydrogen, C_6 - C_{24} aryl, C_6 - C_{24} aryloxy, C_1 - C_{24} alkylthio, C_5 - C_{12} cycloalkyl, C_5 - C_{12} cycloalkoxy, C_5 - C_{12} cycloalkylthio, C_2 - C_{24} alkenyl, C_6 - C_{24} aryloxy, C_6 - C_{24} arylthio [or A_5 - A_{18} heteroaryl, A_6 - A_{18} heteroaryloxy, A_5 - A_{18} heteroarylthio], thianthrenyl, furyl, furfuryl, 2H-pyranyl, benzofuranyl, isotenzofuranyl, benzofuranyl, benzofuranyl, dibenzofuranyl, dibenzofuranyl, phenoxythiinyl, pyrrolyl, imidazolyl, pyrazolyl, pyridyl, bipyridyl, triazinyl, pyrimidinyl, pyrazinyl, pyridazinyl, indolizinyl, isoindolyl, indolyl,

09/518,464 - 12 - PL/2-21988/A

indazolyl, purinyl, quinolizinyl, quinolyl, isoquinolyl, phthalazinyl, naphthyridinyl, quinoxalinyl, quinazolinyl, cinnolinyl, pteridinyl, carbazolyl, carbolinyl, benzotriazolyl, benzoxazolyl, phenanthridinyl, acridinyl, perimidinyl, phenanthrolinyl, phenazinyl, isothiazolyl, phenothiazinyl, isoxazolyl, furazanyl or phenoxazinyl O-thienyl, O-benzo[b]thienyl, O-dibenzo[b,d]thienyl, O-thianthrenyl, O-furyl, O-furyl, O-2H-pyranyl, O-benzofuranyl, O-isobenzofuranyl, O-benzimidazolyl, O-benzothiazolyl, Odibenzofuranyl, O-phenoxythiinyl, O-pyrrolyl, O-imidazolyl, O-pyrazolyl, O-pyridyl, O-bipyridyl, Otriazinyl, O-pyrimidinyl, O-pyrazinyl, O-pyridazinyl, O-indolizinyl, O-isoindolyl, O-indolyl, O-indazolyl, Opurinyl, O-quinolizinyl, O-quinolyl, O-isoquinolyl, O-phthalazinyl, O-naphthyridinyl, O-quinoxalinyl, Oquinazolinyl, O-cinnolinyl, O-pteridinyl, O-carbazolyl, O-carbolinyl, O-benzotriazolyl, O-benzoxazolyl, O-phenanthridinyl, O-acridinyl, O-perimidinyl, O-phenanthrolinyl, O-phenazinyl, O-isothiazolyl, Ophenothiazinyl, O-isoxazolyl, O-furazanyl or O-phenoxazinyl S-thienyl, S-benzo[b]thienyl, Sdibenzo[b,d]thienyl, S-thianthrenyl, S-furyl, S-furfuryl, S-2H-pyranyl, S-benzofuranyl, Sisobenzofuranyl, S-benzimidazolyl, S-benzothiazolyl, S-dibenzofuranyl, S-phenoxythiinyl, S-pyrrolyl, Simidazolyl, S-pyrazolyl, S-pyridyl, S-bipyridyl, S-triazinyl, S-pyrimidinyl, S-pyrazinyl, S-pyridazinyl, S-indolizinyl, S-isoindolyl, S-indolyl, S-indazolyl, S-purinyl, S-quinolizinyl, S-quinolyl, S-isoquinolyl, Sphthalazinyl, S-naphthyridinyl, S-quinoxalinyl, S-quinazolinyl, S-cinnolinyl, S-pteridinyl, S-carbazolyl, S-carbolinyl, S-benzotriazolyl, S-benzoxazolyl, S-phenanthridinyl, S-acridinyl, S-perimidinyl, Sphenanthrolinyl, S-phenazinyl, S-isothiazolyl, S-phenothiazinyl, S-isoxazolyl, S-furazanyl or Sphenoxazinyl.

or

$$X_2$$
 is Q_7 Q_8 Q_8

in which

 Q_7 and Q_8 independently of one another are Q_5 or Q_6 , and

 X_4 is C_6 - C_{24} arylene, A_5 - A_{18} heteroarylene,a polymethylidene or divalent polyether, polyimine, polyamine radical, or bi(C_6 - C_{24})arylene, $\frac{\text{[bi(A_5-A_{18})heteroarylene,]}}{\text{bipyridylene, bipyrrolylen, piperazinedionylen, quinodimethylene, imidazolonylen, isoindolinylen, and anthraquinoylfuranoylen <math>C_2$ - C_{24} alkenylene, in which bi(C_6 - C_{24})arylene $\frac{\text{[bi(A_5-A_{18})heteroarylene]}}{\text{bipyridylene, bipyrrolylen, piperazinedionylen, quinodimethylene, imidazolonylen, isoindolinylen, and anthraquinoylfuranoylen or <math>C_2$ - C_{24} alkenylene $\frac{\text{[can be]}}{\text{are optionally}}$ interrupted by one or more intermediate units $\frac{\text{[such ac]}}{\text{selected from the group consisting of property of the property of the group consisting of the property of the property of the group consisting of the polyamine polyamine, and anthraquinoylene, and anthraquinoylene polyamine polyamine, and anthraquinoylene, and anthraquinoylene polyamine, and anthraquinoylene, and anthraquinoylen$

-CH=CH-, -CH=N-, -N=N-, -CR₄₄R₄₂-, -CO-, -COO-, -OCO-, -NR₄₂CO-, -CONR₄₂-, -O-, -S-, -SO-, -SO₂- or -NR₄₂-,

or

$$X_2$$
 is $N-NH-X_4-HN-N$ or $N-N=1$.

2. (amended) A compound according to claim 1 of the formula (XVI)

$$\begin{bmatrix} R_{13} & R_{113} & X \\ R_{112} & R_{12} & 0 \end{bmatrix}$$
 (XVI)

in which

n is 1 or 2, and

if n is 1

X is X_1 as defined in claim 1, and

if n is 2

X is X_2 as defined in claim 1, and

 R_{12} , R_{112} , R_{13} and R_{113} independently of one another are hydrogen, halogen, OH, NO₂, R_{14} , OR₁₄, OC9-C18alkyl or SC9-C18alkyl, in which

 R_{14} is C_1 - C_{24} alkyl which is unsubstituted or substituted one or more times by oxo or by $COO^-X_5^+$ and which [can be] is uninterrupted or interrupted one or more times by O, N and/or S, or is C_7 - C_{18} aralkyl or C_6 - C_{12} aryl unsubstituted or substituted one or more times by halogen, OR_{16} , $NR_{16}R_{17},\,COOR_{16},\,CONR_{16}R_{17},\,NR_{18}COR_{16}\,or\,NR_{18}COOR_{16},$

 X_5^+ is a cation H^+ , Na^+ , K^+ , $Mg^{++}_{1/2}$, $Ca^{++}_{1/2}$, $Zn^{++}_{1/2}$, $Al^{+++}_{1/3}$, or $(NR_{16}R_{17}R_{18}R_{19})^+$, and

R₁₆ and R₁₇ independently of one another are hydrogen, C₆-C₁₂aryl, C₇-C₁₀aralkyl, or C₁-C₈alkyl which is unsubstituted or substituted one or more times by halogen, hydroxyl or C₁-C₄alkoxy, or R_{16} and R_{17} in $NR_{16}R_{17}$ or $CONR_{16}R_{17}$, together with the nitrogen atom connecting them, are

pyrrolidine, piperidine, piperazine or morpholine each of which is unsubstituted or substituted

from one to four times by C_1 - C_4 alkyl, and

 R_{18} and R_{19} independently of one another are hydrogen, C_1 - C_8 alkyl, C_6 - C_{10} aryl or C_6 - C_{12} aralkyl, or R_{12} and R_{112} , R_{112} and R_{13} , R_{13} and R_{113} [can also] independently of one another are each together [be] divalent [substituted or unsubstituted] radicals, such as polycyclic radicals.

09/518,464 - 15 - PL/2-21988/A